NICHOLLS STATE UNIVERSITY

PURCHASING DEPARTMENT
PO BOX 2052 University Station
104 Elkins Hall
Thibodaux, La 70310

Phone No. (985) 448-4038 Fax No. (985) 448-4921 EO/AA Employer, M/F/H/V

BID NO. **SB01522**

Date: March 24, 2010

INVITATION, BID AND ACCEPTANCE

invitation,	DID AND ACCEL TAINEE
INVITATION: Sealed bids, subject to the conditions he 3:00 P.M. on April 14, 2010 and then publicly opened State University. The right is reserved to reject all or part of your offer as well as to care.	rein stated and attached hereto, will be received at this office until for furnishing the items and/or services as described below for Nicholls Signed Terry G. Dupre Director of Purchasing
D	
"Furnish and Install Sound System in Student Union	n Ballroom"
"INVITATION" IN THE ENCLOSED ENVELOPE. 2 facsimile. 3. ALL PRICES ARE TO BE QUOTEI THIBODAUX, LA. 4. All prices assumed firm unless othe unopened. 6. As a state agency, the University is NOT lial the time of issuance of the order. 7. Do not include federal binding for 30 calendar days from date of bid opening. 9. If	ON THE ATTACHED FORM AND RETURNED WITH THIS . The University cannot accept bids or alterations by wire, phone or O COMPLETE AND F.O.B. NICHOLLS STATE UNIVERSITY, erwise stated. 5. Any bid received after bid closing time will be returned ble for state sales tax inacted by the State Legislature and in effect at excise tax unless requested. 8. Unless otherwise specified all bids shall be FAILURE TO SIGN IN INK WILL BE CAUSE FOR BID NOT TO BE quoted will not be allowed.
RIDDER SHALL E	FILL IN ALL BLANK SPACES and shipment will be made within days of receipt of order.
accepted within days from the date of opening to furni	BID to the conditions thereof, the undersigned offers and agrees if this bid be sh any or all of the items (or sections) at the price set opposite each item remain in effect until)
Bidder	Signed
Address	Title
	Phone ()
Email	Fax ()
	Date
Acceptance by NICHOLLS STATE UNIVERSITY, THIBO	DAUX, LOUISIANA
Accepted as to items numbered	

Signed_

Purchasing Office

P.O. Box 2052 Thibodaux, LA 70310 985.448.4038 Fax: 448.4921



March 24, 2010

PUBLIC NOTICE INVITATION TO BID

Sealed bids will be received by the Purchasing Department, NICHOLLS STATE UNIVERSITY, Thibodaux, La. On, April 14, 2010, at 3:00 P.M. for:

"Bid Number SB01522 - FURNISH AND INSTALL SOUND SYSTEM IN STUDENT UNION BALLROOM"

At which time and place the bids will be publicly opened and read aloud. Any bid received after closing time will be returned unopened.

Copies of the specifications are on file in the Office of the Director of Purchasing, NICHOLLS STATE UNIVERSITY, Thibodaux, LA. The specification may also be obtained in electronic format by visiting the State of Louisiana, Office of State Purchasing, LaPAC Web Site, http://www.prd.doa.louisiana.gov/osp/lapac/pubmain.asp

General Liability, Auto Liability, and Workers Compensation Insurance reqruied.

No bid may be withdrawn after the scheduled closing time for receipt of bids for at least thirty (30) days.

The University reserves the right to reject any or all bids, and to waive any informalities.

Evidence of authority to submit the bid shall be required in accordance with R.S. 38:2212(A)(1)(C) and/or R.S. 39:1594(C)(2) (D).

An Equal Opportunity Employer.

NICHOLLS STATE UNIVERSITY THIBODAUX, LOUISIANA

TERRY G. DUPRE

Director of Purchasing

TO BE RUN: March 31, 2010

TO BE OPENED: April 14, 2010

STATE OF LOUISIANA NICHOLLS STATE UNIVERSITY THIBODAUX, LOUISIANA

The Nicholls State University (NSU) Purchasing Department will receive sealed bids until 3:00 P.M. on the bid opening date specified in the solicitation document. No bid responses will be considered by the NSU Purchasing Department received after 3:00 P.M. on the date specified. Beginning at that time, bids shall be publicly opened and read aloud to those present in the **NSU Purchasing Department.**

Mail address:

Nicholls State University

Purchasing Department P. O. Box 2052

Thibodaux, LA 70310

Delivery:

Nicholls State University Purchasing Department 906 East First Street Room 104 Elkins Hall Thibodaux, LA 70301

Bids submitted are subject to LA R.S. 39:1551-1736; Purchasing Rules and Regulations; Executive Orders; General Conditions; any Special Conditions; and Specifications listed in the solicitation document.

The purpose of this solicitation is to set forth the requirements and specifications of Nicholls State University. The contents of this solicitation and the Bidder/ Vendor/ Contractor's bid response shall become contractual obligations if a contract (purchase order) ensues.

INSTRUCTIONS TO BIDDERS

- Bid Forms: All written bids, unless otherwise provided for, must be submitted on, and in accordance with, forms provided, properly signed in ink by an authorized representative of the bidding entity. Bid prices shall be typewritten or in ink. Bids submitted in the following manner will not be accepted: (1) bid contains no signature indicating intent to be bound; (2) bid filled out in pencil; (3) photocopy of bidder's signature; and (4) bid sent by facsimile equipment. Price alterations to bid responses received before bid opening time will be considered provided the written price alteration has been received and time-stamped before bid opening time. Any other alterations of the bid response form or foreign conditions attached thereto may cause rejection of the bid response without further consideration.
- Special Envelope: To assure consideration, all bids should be submitted in the special bid envelope if furnished for that purpose. In the event bid contains bulky material, the special bid envelope should be firmly affixed to the mailing envelope.
- Standard of Quality: Any product or service bid shall conform to all applicable Federal and State laws and regulations and specifications contained in the solicitation document. Unless otherwise specified in the solicitation document, any manufacturer's name, trade name, brand name, or catalog number used in the specifications is for the purpose of describing the quality level and characteristic required. Bidder should specify the brand and model number of the product offered in his bid. Bids not specifying brand and model number shall be considered as offering the exact products specified in the solicitation document.
- Descriptive Information: Bidders proposing an equivalent brand or model should submit with the bid response information (such as illustrations, descriptive literature, technical data) sufficient for the University to evaluate quality, suitability, and compliance with the specifications of the solicitation document. Failure to submit descriptive information may cause bid to be rejected. Any change made to a manufacturer's published specification submitted for a product shall be verifiable by the manufacturer. If item(s) bid does not comply with specifications (including brand and/or product number), bidder should state in what respect the item(s) deviate. Failure to note exceptions on the response form will not relieve the successful bidder(s) from supplying the actual products requested.
- Bid Opening: Bidders may attend the bid opening, but no information or opinions concerning the ultimate contract award will be given at the bid opening or during the evaluation process. Bids may be examined 72 hours after request is made. Information pertaining to completed files may be secured by visiting the NSU Purchasing Department during normal working hours. Written bid tabulations will not be furnished.
- Louisiana Preference: Preference is hereby given to products produced, manufactured, harvested, grown or assembled in Louisiana which are equal in quality to products produced, manufactured, harvested, grown or assembled outside of Louisiana. The bidder shall state his right to claim the ten percent (10%) preference in his bid response on the form provided and the bidder should state the respective Louisiana location where each qualifying item is produced, manufactured, harvested, grown or assembled.
- Signature Authority: In accordance with LA Revised Statute 39:1594 (Act 121), the person signing the bid must be: (1) A current corporate officer, partnership member or other individual specifically authorized to submit a bid as reflected in the appropriate records on file with the Secretary of State; or (2) An individual authorized to bind the vendor as reflected by an accompanying corporate resolution or affidavit. By signing the bid, the bidder certifies compliance with the above.

-Continued-

GENERAL CONDITIONS

The NSU Purchasing Department reserves the right to award items separately, grouped or on an all-or-none basis and to reject any or all bids and waive any informalities.

- 1) Prices: Unless otherwise specified in the solicitation, bid prices shall be complete, including transportation and handling prepaid by the bidder to destination NSU, Thibodaux, LA. Bids other than FOB destination may be rejected. Bid prices should be quoted in the unit of measure stated. Bid prices shall be firm for a minimum of thirty (30) calendar days, unless otherwise specified by NSU in the solicitation document.
- Payment Terms: Cash discounts for less than 30 days may be offered, but will not be considered in determining awards. Bids containing "payment in advance" or "COD" requirements may be rejected. Payment is to be made within 30 days after receipt of properly executed invoice or delivery, whichever is later.
- 3) Delivery: Bids may be rejected if the delivery time indicated is longer than that specified in the solicitation document.
- 4) Taxes: Bidder is responsible for including all applicable taxes in the bid price. The University is currently exempt from Louisiana State Sales and Use Taxes, and local parish and city taxes. An exemption certificate for state sales and use tax can be provided upon request.
- 5) New Products: Unless specifically called for in the solicitation document, all products for purchase must be new, never previously used, and the current model and/or packaging. No remanufactured, demonstrator, used or irregular product will be considered for purchase unless otherwise specified in the solicitation document. The manufacturer's standard warranty will apply unless otherwise stated in solicitation.
- 6) Default of Contractor: Failure to deliver within the time specified in the solicitation document will constitute a default and may cause cancellation of the contract. Where the University has determined the contractor to be in default, the state reserves the right to purchase any or all products or services covered by the contract on the open market and to charge the contractor with cost in excess of the contract price. Until such assessed charges have been paid, no subsequent bid from the defaulting contractor will be considered.
- Contract Cancellation: The University shall have the right to cancel any contract, in accordance with Purchasing Rules and Regulations, for cause, including but not limited to, the following: (1) failure of the vendor to deliver within the time specified in the contract; (2) failure of the product or service to meet specifications, conform to sample quality, or to be delivered in good condition; (3) misrepresentation by the contractor; (4) fraud, collusion, conspiracy or other unlawful means of obtaining any contract with the state; (5) conflict of contract provisions with constitutional or statutory provisions of state or federal law; (6) any other breach of contract.
- 8) Applicable Law: All contracts shall be construed in accordance with and governed by the laws of the State of Louisiana.
- 9) Equal Opportunity: By submitting and signing this bid, bidder agrees that he will not discriminate in the rendering of services to and/or employment of individuals because of race, color, religion, sex, sexual orientation, age, national origin, handicap, disability, veteran status, or any other non-merit factor.
- 10) Bid Bonds: If a bid bond is required, a bid bond must be submitted for each separate bid response. The bid bond shall be in an amount equal to 5% of the bid price submitted and alternates, if any. The bid security shall be in a form of a bid bond or certified check, or cashiers check.

(PLEASE NOTE THAT A BID BOND MUST BE SIGNED BY THE AGENT OR ATTORNEY-IN-FACT OF THE SURETY.)

(*) The surety or insurance company furnishing the bid bond shall be currently on the U.S. Department of the Treasury Financial Management Service list of approved bonding companies or by an insurance company that is either domiciled in Louisiana or owned by Louisiana residents and is licensed to write surety bonds.

FOR THIS BID SOLICITATION:	
BID BOND REQUIRED: Yes	XNo
PERFOMRANCE AND PAYMENT BONDS REQUIRED:	YESXNO
PURCHASE WILL BE EXECUTED WITH:	X Purchase Order Only
	Purchase Order and Formal Two Party Contract
	Formal Two Party Contract Only

A Member of the University of Louisiana System

NOTICE TO BIDDERS: ITEMS PURCHASED THAT ARE PRODUCED, MANUFACTURED, ASSEMBLED, GROWN, OR HARVESTED IN LOUISIANA ARE SUBJECT TO PREFERENCE LAWS, SEE BELOW.

SPECIAL CONDITIONS

BID NUMBER: SB01522 BID OPENING: April 14, 2010 at 3:00 PM

In accordance with the Louisiana Revised Status 39:1595, a preference of 10% may be allowed for products produced, manufactured, grown or assembled in Louisiana of equal quality.

DO YOU CLAIM THIS PREFERENCE?	YES	NO
SPECIFY ITEM NUMBER(S)		
Specify location within Louisiana where thi assembled:	s product is produced, ma	nufactured, grown or

FAILURE TO SPECIFY ABOVE INFORMATION MAY CAUSE ELIMINATION FROM PREFERENCES.

Bidder shall provide with bid detailed information as to how the item qualifies for this preference.

This preference may be allowed if all of the following conditions are met:

- 1) The cost of such item(s) does not exceed the cost of other items which are manufactured, processed, produced, or assembled outside the state by more than 10%
- 2) The vendor of such Louisiana items agrees to sell the items at the same price as the lowest bid offered on such items.
- 3) In cases where more that one bidder offers Louisiana items which are within ten percent of the lowest bid, the bidder offering the lowest bid on Louisiana items is entitled to accept the price of the lowest bid made on such items.

CONDITIONS OF PURCHASE

The following conditions, unless otherwise stated in the bid document, will apply to all purchase orders:

Merchandise must be accompanied by delivery slip or shipping list showing items shipped or delivered and the purchase order number. THE PURCHASE ORDER NUMBER must appear on all invoices, delivery memoranda, bills of lading packages and correspondence.

The University is not responsible for goods delivered or work done without a written order. No allowance for boxing or crating. Unauthorized quantities in excess of this order will be returned or held subject to shipper's order, expense and risk.

Contractor warrants that the merchandise to be furnished hereunder will be in full conformity with the specifications, drawing or sample and agrees that this warranty shall survive acceptance of the merchandise and that contractor will bear the cost of inspecting rejected merchandise.

All rejected goods will be held at contractor's risk and expense, subject to contractor's prompt advice as to disposition. Unless otherwise arranged, all rejected goods will be returned at contractor's expense.

Contractor will, at its expense defend the University against any claim that any merchandise to be furnished hereunder infringes a patent or copyright in the United States or Puerto Rico, and will pay all costs, damages and attorney's fees that a court finally as a result of such claim.

Nicholls State University Thibodaux, LA Student Union Sound System Page 1 of 15

I. Provide pricing to furnish and install the following components:

Item 1.	Two (2) Each Furman, or equal, Power Sentry PL8C		
	2 EACH @ \$ Each = Total		
Item 2	Three (3) Shure Mixers SCM 800, or equal		
	3 EACH @ \$ Each = Total		
Item 3.	Two (2) Custom Input Panels		
	2 EACH @ \$ Each = Total		
Item 4.	250 feet of 2 conductor shielded cable		
	1 EACH @ \$ Each = Total		
Item 5.	Four (4) Hi to Low transformers, Shure A85F, or equal		
	4 EACH @ \$ Each = Total		
Item 6.	One (1) Peavey, or equal, Feed Back Ferrette		
	1 EACH @ \$ Each = Total		
Item 7.	One (1) Yamaha Power Amplifier P7000S, or equal		
	1 EACH @ \$ Each = Total		
Item 8.	One (1) Yamaha Power Amplifier P5000S, or equal		
	1 EACH @ \$ Each = Total		
Item 9.	One (1) Peavey Auto Match Transformer, or equal		
	1 EACH @ \$ Each = Total		
Item 10.	Two (2) Shure Hand Held Wireless ULXP24/58 Mics, or equal		
	2 EACH @ \$ Each = Total		
Item 11.	Six (6) Shure Lavalier Mic Systems ULXP14/84, or equal		
	6 EACH @ \$ Each = Total		

Nicholls State University Thibodaux, LA

Student Union Sound System Page 2 of 15

Item 12.	Five (5) Shure Desk Style Mic's MX418/DS, or equal		
	5 EACH @ \$ Each = Total		
Item 13.	Two (2) Shure Antenna-Power supply kits, UA844, or equal		
	2 EACH @ \$ Each = Total		
Item 14.	Three (3) Volume Controls WAT100 or equal		
	3 EACH @ \$ Each = Total		
Item 15.	Forty-Three (43) TOA Ceiling Speakers F2852CU2, or equal		
	43 EACH @ \$ Each = Total		
Item 16.	Two (2) Audio Source Box Speakers		
	2 EACH @ \$ Each = Total		
Item 17.	Two (2) HT327 Transformers		
	2 EACH @ \$ Each = Total		
Item 18.	Five (5) 30 foot XLR cables		
	5 EACH @ \$ Each = Total		
Item 19.	One (1) metal in wall cabinet		
	1 EACH @ \$ Each = Total		
Item 20.	One (1) Metal Cabinet KAR 182, or equal, with casters CM		
	1 EACH @ \$ Each = Total		
Item 21.	Two (2) Rack Shelves UTS 1, or equal		
	2 EACH @ \$ Each = Total		
Item 22.	One (1) lot – 1,700 feet of 16 Ga Jacketed Wire		
	1 EACH @ \$ Each = Total		

Nicholls State University Thibodaux, LA Student Union Sound System Page 3 of 15

Item 23.	One (1) lot – 600 feet mic wire			
	1 EACH @ \$	_ Each = Total		
Item 24.	One (1) Tascam IP Dock/CD Player CD200I or equal			
	1 EACH @ \$	_ Each = Total		
Item 25.	One (1) Volume Control 182-302, or equal			
	1 EACH @ \$	_ Each = Total		
Item 26.	Four (4) ¹ / ₄ " size plugs			
	4 EACH @ \$	Each = Total		
Item 27.	Four (4) XLR Male Plugs			
	4 EACH @ \$	_ Each = Total		
Item 28.	Eight (8) XLR FM plug	SS		
	8 EACH @ \$	_ Each = Total		
Item 29.	Two (2) 3 foot XLR cables			
	2 EACH @ \$	_ Each = Total		
Item 30.	Two (2) SPST Switches	3		
	2 EACH @ \$	_ Each = Total		
Item 31.	One (1) 25 foot mini to mini cable			
	1 EACH @ \$	_ Each = Total		
Item 32.	Labor to install system			
	1 EACH @ \$	_ Each = Total		
Item 33.	Miscellaneous supplies University), for cabinet	to frame hole in wall (to be cut by the		
	1 FACH @ \$	Fach = Total		

Specifications and Bid Form Nicholls State University Thibodaux, LA Student Union Sound System Page 4 of 15

Item 34.	Miscellaneous supplies, rack screws, cables, etc needed not otherwise specified.			
	1 EACH @ \$ Each = Total			
TOTAL N	ET LUMP SUM ITEMS 1 – 34 \$			
This bid shall be awarded on an all or none basis, based upon the lowest tota net lump sum provided.				
Acknowled	lgment of Addendums:			
	ould acknowledge receipt of addendum(s) issued. Failure to ge addendum(s) may be cause for bid to be rejected.			

Specifications and Bid Form Nicholls State University Thibodaux, LA Student Union Sound System Page 5 of 15

II. SPECIFICATIONS:

- A) Project Specifications
- 1) There will be a metal lockable wall cabinet on the north wall of the ballroom that contains the following equipment:
 - Power Sentry On/Off Switch
 - Three (3) 8 channel mixers
 - MP3 and CD Player
 - One custom input panel containing 14 XLR FM, 1-1/4" FM Jack, 1 1/8" FM Jack and One On/Off selector switch
- 2) Mated to this panel will be a 24-channel two conductor shielded cable which will be mated to the second panel and the feed back eliminator in the east side cabinet
- 3) A second input panel shall be mounted on the east wall of the ballroom.
- 4) The second roll around cabinet shall be placed in the closet on the east wall of the ballroom containing the following equipment:
 - One AC power sentry
 - One feed back eliminator
 - Two power amplifiers
 - Eight wireless systems with related power supply and antenna system.
- The number one amplifier will power the main speakers. The second amplifier will power speakers in five areas. These areas are the ball room entrance, Captain's Room Hall entrance, and two bathroom areas.
- 6) The following components will have separate volume control from the main control:
 - Captain's Room
 - Entrance to the elevated area to the ball room,
 - Both bathroom areas
- 7) After installation is complete, the successful bidder shall be required to test and adjust system. The successful bidder shall provide a written instruction sheet with numbering of the equipment.
- 8) All speakers shall be ceiling mounted with truss supports with the exception of the bathroom area speakers which shall be box style speakers.

Specifications and Bid Form Nicholls State University

Thibodaux, LA Student Union Sound System Page 6 of 15

B. Product Specifications

Item #1 Furman Power Sentry PL8C, or Equal

- Series Multistage surge protection
- Noise filtration to prevent hums and pops
- Protection for power spikes, line to neutral, zero ground leakage
- Spike clamping 188 VAC peak @3,000 amps
- Built in pull out lights for low lit venues two multi-LED dimmable lamps
- Lighted visual status display
- Isolated outlet banks to prevent interference between components
- Wall wart spaced outlets for bigger power supplies
- 9 individual 3-prong outlets
- BNC Lamp Jack with lamp, 12VAC 500MA Maximum
- Maximum output current 15 amps
- 10 ft power cords with NEMA 15 plug
- Operating voltage 90 to 139 VAC
- 1-nano second response time
- 6,500 Amps Maximum surge current
- Noise Attenuation 10dB @ 10 kHz, 40 dB @ 100 kHz, 50 dB @ 500 kHz
- Power consumption 12 watts

Item #2 – Shure SCM800 Mixers

- Non-automatic
- Adjustable channel EQ
- Quick microphone connection and linking capability for up to 32 microphones
- 120 Vac
- Full rack
- 8-balanced block mic/line inputs
- 1-1/4" aux input
- 1-balanced block mic/line output
- 8-1/4" TRS insert points or outputs
- Headphone monitoring
- 48V phantom Power

Specifications and Bid Form Nicholls State University Thibodaux, LA Student Union Sound System Page 7 of 15

Item #3-Custom Input Panels

- 1-AC116 Stereo mini jack chassis M+ solder
- 14-NC3FD-L-1 Neutrik NC3FD-L-1 3-Pin XLR Female Latching Silver
- 1-NJ3FP6C Neutrik NJ3FP6C 1/4" TRS Panel Mount Locking Jack
- 1-Punch only for toggle switch
- 1-SHBL-2 2 RU Black Anodized Aluminum Blank Rack Panel

Item #4-2-conductor shielded cable – specifications not required

Item #5– Shure A85F Hi to Low transformer

- low- to high-impedance microphone-matching transformer that provides 24 dB of signal increase gain.
- balanced female XLR and unbalanced high impedance male ¼" phone plug connectors, and may be used in reverse.
- typically used to connect a balanced low-impedance microphone output to an unbalanced high impedance input on a mixer or recorder

Item #6-Peavey Feed Back Ferrette

- Suppresses feedback using search and destroy filters that find, lock in and kill offending frequencies
- Sixteen individual filters that operate simultaneously, 8dynamically react to input changes
- Stereo or dual mono operation which enables 32 dynamically controlled filters
- Set and forget operation in fixed installations
- Four presets for most common performance venues
- Rear panel defeat button
- Extra max panic filters for quick control of sudden, severe feedback
- Balanced XLR and TRS inputs and outputs

Nicholls State University Thibodaux, LA Student Union Sound System Page 8 of 15

Item #7 – Yamaha P7000S power Amplifier

- Output power
 - -1kHz, THD+N=1 8Ω /Stereo 750W+750W
 - -1kHz, THD+N=1 4Ω /Stereo 1100W+1100W
 - -1kHz, THD+N=1 8Ω /Bridge 2000W
 - -20-20kHz, THD+N=0.1 8 Ω /Stereo 700W+700W
 - -20-20kHz, THD+N=0.1 4Ω /Stereo -950W+950W
 - -20-20kHz, THD+N=0.1 8Ω/Bridge 1900W
 - -1KHz, 20mS non clip 2Ω /Stereo 1600W+1600W
 - -1KHz, 20mS non clip $4\Omega/BRidge 3200W$
- Power Bandwidth half power 10Hz-40kHz (THD+N=0.5%)
- THD+N 20Hz-20kHz, half power, </-0.1%
- Intermodulation Distortion 60Hz: 7kHz, 4:1, half power, </-0.1%
- Frequency Response Po=1W RL=8Ω 0db, +0.5dB, -1dB f=20Hz-50kHz
- Channel Separation half power RL= 8Ω , Att.max input 600Ω shunt >/-70dB 1kHz
- Residual noise Att.min DIN Audio </-70dBS/N Ratio DIN Audio 104dB
- Damping Factor RL= 8Ω 1KHz >/-350
- Sensitivity @ 8ΩAtt. Max +8dB
- Voltage Gain Att.max 32.1dB
- Input Impedance $30K\Omega$ (balance $15k\Omega$ (unbalance)
- Controls Front panel, Pwer switch (push on/push off), Attenuator (31 position) X 2, Rear Panel Mode switch (Stereo/Bridge/Parallel) Filter switch (Sub woofer/low Cut/off) X 2, Freq. control (25Hz-150Hz) X2, speaker processing switch (On/Off)
- Connectors input XLR-3-31 type/ch ½" TRS/ch, Output Speakon, 5 way biding post, ½" phone/ch
- Indicators Power X 1 Green, Protection X 1 red, Temp C1 (red) heasink temp >/- 85 degree C, Signal X 2 green, clip X 2 red
- Load Protection Power switch on/off mute, DC-fault power supply shutdown, DC-fault power output cut
- Amplifier Protection Thermal (heatsink temp >/- 90 degree C), VI limiter (RL=1 Ω)
- Limitter Circuit comp.: THD>/- 0.5%
- Cooling dual variable speed fan/single variable speed fan
- Power requirements 120C 60 Hz
- Idle power consumption 35W
- 1/8 power consumption (4 Ω) 700W
- Maximum power consumption (4Ω) 4000W

Nicholls State University Thibodaux, LA Student Union Sound System Page 9 of 15

Item #8 – Yamaha P5000S power Amplifier

- Output power
 - -1kHz, THD+N=1 8Ω /Stereo 525W+525W
 - -1kHz, THD+N=1 4Ω /Stereo 750W+750W
 - -1kHz, THD+N=1 8Ω /Bridge 1500W
 - -20-20kHz, THD+N=0.1 8 Ω /Stereo 500W+500W
 - -20-20kHz, THD+N=0.1 4Ω /Stereo -700W+700W
 - -20-20kHz, THD+N=0.1 8Ω/Bridge 1400W
 - -1KHz, 20mS non clip 2Ω /Stereo 1300W+1300W
 - -1KHz, 20mS non clip $4\Omega/BRidge 2600W$
- Power Bandwidth half power 10Hz-40kHz (THD+N=0.5%)
- THD+N 20Hz-20kHz, half power, </-0.1%
- Intermodulation Distortion 60Hz: 7kHz, 4:1, half power, </-0.1%
- Frequency Response Po=1W RL=8Ω 0db, +0.5dB, -1dB f=20Hz-50kHz
- Channel Separation half power RL= 8Ω , Att.max input 600Ω shunt >/-70dB 1kHz
- Residual noise Att.min DIN Audio </-70dBS/N Ratio DIN Audio 103dB
- Damping Factor RL= 8Ω 1KHz >/-350
- Sensitivity @ 8ΩAtt. Max +6dB
- Voltage Gain Att.max 32.1dB
- Input Impedance $30K\Omega$ (balance $15k\Omega$ (unbalance)
- Controls Front panel, Pwer switch (push on/push off), Attenuator (31 position) X 2, Rear Panel Mode switch (Stereo/Bridge/Parallel) Filter switch (Sub woofer/low Cut/off) X 2, Freq. control (25Hz-150Hz) X2, speaker processing switch (On/Off)
- Connectors input XLR-3-31 type/ch ¼" TRS/ch, Output Speakon, 5 way biding post, ¼" phone/ch
- Indicators Power X 1 Green, Protection X 1 red, Temp C1 (red) heasink temp >/- 85 degree C, Signal X 2 green, clip X 2 red
- Load Protection Power switch on/off mute, DC-fault power supply shutdown, DC-fault power output cut
- Amplifier Protection Thermal (heatsink temp >/- 90 degree C),
 VI limiter (RL=1Ω)
- Limitter Circuit comp.: THD>/- 0.5%
- Cooling dual variable speed fan/single variable speed fan
- Power requirements 120C 60 Hz
- Idle power consumption 35W
- 1/8 power consumption (4 Ω) 550W
- Maximum power consumption (4 Ω) 3000W

Specifications and Bid Form Nicholls State University Thibodaux, LA Student Union Sound System Page 10 of 15

Item #9 – Peavey Auto Match Transformer

- 400 watt line matching transformer
- Primary winding can be used to convert the output impedance of any direct coupled power amplifier upward or downward to match impedance of a particular loudspeaker system
- Isolated secondary winding to allow usage with 70 and 100 volt systems
- Bottom plate for mounting
- Heavy duty screw type terminals for positive connection from power amplifier and to the external speaker wires

Item #10 - Shure Hand Held Wireless ULXP24/58 Mics

- Components ULXP4 professional wireless receiver and the ULX2/58 Wireless handheld transmitter with SM58 Cardioid Mic
- ULXP4 Wireless Receiver
 - -Automatic Frequency Selection with group scan function
 - -1400 selectable frequencies
 - -Predictive diversity
 - -5-segment transmitted audio signal strength meter
 - -5-segment RF meter
 - -3-segment transmitter battery fuel gauge
 - -Advanced multi-function LCD displays group and channel
 - -Mic/line switch
 - -Remotable 1/2 Wave antenna
 - -Frequency and volume lockout
 - -XLR and ¼" output
 - -Metal chassis
 - -½ rack design
- ULX2/58 with SM58 Cardioid Microphone
 - -SM 58 Vocal Microphone Cardioid unidirectional dymanic, frequency response 50 to 15,000 Hz
 - -ULX2 Handheld Transmitter Adjustable Gain Control. Input attenuation switch selects 0dB for voice/low output, 20 dB for high output

Specifications and Bid Form Nicholls State University Thibodaux, LA

Student Union Sound System Page 11 of 15

Item #11 – Shure lavalier mic systems ULXP14/84 Mics

- Components ULXP4 professional wireless receiver and the ULX1 Wireless bodypack transmitter and WL184 Lavalier Condenser Microphone
- ULXP4 Wireless Receiver -
 - -Automatic Frequency Selection with group scan function
 - -1400 selectable frequencies
 - -Predictive diversity
 - -5-segment transmitted audio signal strength meter
 - -5-segment RF meter
 - -3-segment transmitter battery fuel gauge
 - -Advanced multi-function LCD displays group and channel
 - -Mic/line switch
 - -Remotable ½ Wave antenna
 - -Frequency and volume lockout
 - -XLR and 1/4" output
 - -Metal chassis
 - -1/2 rack design
- ULX-1 Wireless Bodypack Transmitter
 - -three segment battery fuel gauge
 - -frequency and power lockout
 - -flexible 1/4 wave antenna
 - -TA4F mini four pin input connector
 - -backlit LCD display to show group and channel setting
 - -Adjustable audio gain control
 - -input attenuation switch (selects 0dB or -20 dB attenuation)
 - -Power on/off switch
 - -Minimum 8 hour battery life (9v battery)
 - -minimum 300 foot operating range
- WL184 Lavalier Condenser Microphones
 - -Supercordioid
 - -pickup angle 115 degrees
 - -to be used for sound reinforcement applications requiring high rejection of ambient noise and narrow pickup angles

Nicholls State University Thibodaux, LA Student Union Sound System Page 12 of 15

Item #12 Shure desk style mic MX418/DS

- 18 inch gooseneck desktop base with 10 foot cable, logic functions, programmable switch and LED indicator, snap-fit foan windscreen
- Wide dynamic range and frequency response for accurate sound reproduction across the audio spectrum
- Interchangeable cartridges
- Transformerless output for increased immunity to noise over long cable runs
- Shock mount provides over 20 dB isolation from surface vibration noise
- Locking flange mount for permanently securing microphone to lecterns or tables
- Programmable on/off switch and LED on/off indicator
- Logic input and output terminals for remote control or use with automatic microphone mixers
- Supplied threaded flange mount for permantently securing the microphone to a lectern or table

Item #13 – Shure antenna power supply kits UA844

- Allows expansion of wireless microphone systems by splitting one pair of antennas to multiple receivers.
- Amplifies RF signals to compensate for insertion loss that results from splitting signal power to multiple outlets
- Can support up to four wireless receivers
- Maximum of five systems may be used with a two-tiered configuration
- Front mounting antenna hardware
- Rack mounting hardware
- External power supply
- Antenna cables for receiver connections
- DC power cables for receiver connections
- Wideband UHF (470-900 MHz)
- Four-way active antenna splitter
- For ULX and SLX receivers

Item #14 – SPECO WAT100 - 100W Speaker Line Attenuator

Nicholls State University Thibodaux, LA Student Union Sound System Page 13 of 15

Item #15 – TOA Ceiling Speakers F2852CU2

- Bass reflex type enclosure
- 60W rated input (high impedance)
- Power handling capacity continuous pink moise 90W, 60W
- Frequency response 60-20,000 Hz
- Sound pressure level 91dB
- Speaker Component High frequency dome type, low frequency 16 cm cone type 6-1/2"
- Input terminal removable locking connector with screw down terminals (2 input terminals and 2 bridge terminals)
- Front griller included
- Tile bridge included
- Safety wire included

Item #16 – Audio Source Box Speakers, LS-100 Four-Inch Full Range Indoor/Outdoor Speakers (Pair)

- Three-way full range speakers with frequency range of 80 Hz to 20 kHz
- Power handling of 50 watts
- Weather resistant
- Indoor or outdoor use
- Mounting brackets included
- Color Black
- Speaker Type left/right channel
- Speaker Amplification type Passive
- Speaker Connectivity wired
- Warranty 5-years

Item #17 – HT327 Transformers

- Constructed with Audio Grade laminations
- Frequency response is +/- 1 db from 30Hz to 15KHz
- High power handling unit
- High quality matching transformer with only 0.6 dB insertion loss
- Primary taps of 8, 16, 1nd 32 watts
- Secondary outputs for both 4 and 8 ohm impedance

Item #18 – 30 foot XLR cables – no specification required

Item #19 – Metal wall cabinet – no specification required – as per equipment requirements

Specifications and Bid Form Nicholls State University

Thibodaux, LA Student Union Sound System Page 14 of 15

Item #20 – Rolling Metal Cabinet KAR 182

- 35 space enclosed rack with 28" depth to allow use of equipment up to 25"
- Constructed of 16 gauge steel
- Fully adjustable front rack wall
- Knock panels to be located at top, bottom and sides of rack.
- Vented slots on top bottom and sides to allow for air flow
- Black powder coat finish

Item #21- UTS Rack shelves

- Rack shelf to match size of #20
- Weight capacity 50 lbs
- Constructed of 16 ga steel
- Black finish

Item #22 – 1700 feet of 16 Ga Jacketed wire – no specification required

Item #23 – 600 Feet Mic Wire – no specifications required

Item #24 – Tascam IP Dock/CD Player CD 200I

- Plays audio CD, MP3 CD and WAV file CD
- Dock connector for Apple iPod charging and playback
- iPod video playback from S-video or composite output
- CD Text and ID3 tag support
- Continue, random and program play modes
- Repeat all and repeat single play modes
- Index search
- Shock/skip prevention memory buffer
- +/- 12% pitch control (analog inputs only)
- RCA unbalanced line outputs (CD and iPod)
- Ciaxial and Optical S/PDIF digital out (CD only)
- ¼" stereo headphone output
- 2u rack mountable
- Wireless remote control

Item #25 – Volume Control 182-302, Buffalo VC5R

Item #26 – ¼" plugs – no specification required

Item #27 – XLR male plugs – no specification required

Item #28 – XLR FM Plugs – no specification required

Specifications and Bid Form Nicholls State University Thibodaux, LA Student Union Sound System Page 15 of 15

Item #29 - 3 foot XLR Cables - no specification required

Item #30 - SPST Switches - no specification required

Item #31 – 25 foot mini to mini cable – no specification required

Item #32, #33, and 34 – no specification required

III. INSURANCE:

The successful bidder shall provide a certificate of Insurance as per the attached "Standardized Insurance Requirements for State of Louisiana Contracts." The certificate shall name Nicholls State University as an Additional Insured and grant a waiver of subrogation.

IV. PRICING AND DELIVERY:

All pricing must include all costs for shipping, delivery and installation to Nicholls State University.

V: BRAND SPECIFICATION:

THE BRAND NAMES SPECIFIED ARE USED ONLY TO DESCRIBE THE STANDARD OF QUALITY, PERFORMANCE, AND CHARACTERISTICS DESIRED AND IS NOT INTENDED TO LIMT OR RESTRICT COMPETITION. HOWEVER, IF BIDDING AN "EQUIVALENT" TO BRAND SPECIFIED IT IS MANDATORY THAT BIDDER FURNISH WITH BID DETAILED LITERATURE AND/OR SPECIFICATIONS TO BE USED IN EVALUATION OF PRODUCT. FAILURE TO SUBMIT SAID INFORMATION MAY BE CAUSE FOR BID NOT TO BE CONSIDERED.

VI. CONTACT STAN SILVERII, PROJECTS MANAGER, TO SCHEDULE SITE VISIT (985) 387-0040

VII. All work shall be coordinated with Francisco Chacon, Director of Union Services, (985) 448-4452.

STANDARDIZED INSURANCE REQUIREMENTS FOR STATE AGENCY CONTRACTS

CHAPTER 7

INSURANCE AND INDEMNIFICATION

Before commencing work, the other party (vendor/contractor and/or subcontractor) shall obtain at its own cost and expense the following insurance in insurance companies authorized in the State, with an A.M. Best rating of A:VI or better and shall provide evidence of such insurance to the Agency, as may be required by the contracting agency. The policies or certificates thereof, shall provide the thirty days prior to cancellation notices of same shall be given to the Agency by registered mail, return receipt requested, for all of the following stated insurance policies. All notices shall name the other party and identify the agreement or contract number.

- A. Worker's Compensation Statutory in compliance with the Compensation law of the State. Exception: Employers Liability is to be \$1,000,000 when work is to be over water and involves maritime exposure. (A.M. Best's rating requirement mentioned above is waived for workers compensation coverage only.)
- B. Commercial General Liability Insurance with a minimum limit of liability per occurrence of \$1,000,000 for bodily injury and property damage. This insurance shall show on the certificate of insurance which of the following coverages is not included in the policy, if any:
 - 1. Premises Operations
 - 2. Broad Form Contractual Liability
 - 3. Products and Completed Operations
 - 4. Use of Contractors and Subcontractors
 - Personal Injury
 - 6. Broad Form Property Damage
- C. Automobile Liability Insurance with a minimum of liability per occurrence of \$1,000,000 for bodily injury and property damage unless otherwise indicated in the contract specifications. This insurance shall include for bodily injury and property damage the following coverages:
 - 1. Owned automobiles
 - 2. Hired automobiles
 - 3. Non-owned automobiles

Note: If the vendor/contractor does not own an automobile and an automobile is utilized in the execution of the contract, then only hired and non-owned coverage is acceptable. If an automobile is not utilized in the execution of the contract, the automobile coverage is not required.

Location of operation shall be "All Locations".

- D. Other Party's Professional Liability. The other party shall provide proof of such insurance. (Minimum limits of \$1,000,000). Required in the "Special Conditions" of the contract specifications.
- E. Builders Risk Coverage: (See information on following pages) DOES NOT APPLY TO THIS CONTRACT
- F. If at any time any of the policies shall become unsatisfactory to the Agency as to form or substance, of if a company issuing any such policy shall become unsatisfactory to the Agency, the other party shall obtain a new policy, submit the same to the Agency for approval and submit a certificate of insurance as required in the contract. Upon failure of the other party to furnish, deliver and maintain such insurance as above provided, this contract at the election of the Agency may be forthwith declared suspended, discontinued or terminated. Failure of the other party to take out and/or maintain any required insurance, shall not relieve the other party from any liability under the contract, nor shall the insurance be construed to conflict with the obligations of the other party concerning indemnification.

- G. All policies and certificates of insurance of the other party shall reflect the following:
 - 1. The other party's insurer will have no right of recovery or subrogation against the Agency, it being the intention of the parties that the insurance policies so affected shall protect both parties and the primary coverage for any and all losses covered by the described insurance.
 - 2. The Agency shall be named as an "additional insured" as regards negligence by the contractor. (ISO form CG 20 1011 85).
 - 3. The insurance companies issuing the policy or policies shall have no recourse against the Agency for payment of any premiums or for assessments under any form of policy.
- H. The following Indemnification Agreement shall be, and is hereby, a provision of the contract:

The other party agrees to protect, defend, indemnify, have and hold harmless the State of Louisiana, all State Departments, Agencies, Boards and Commissions, its officers, agents, servants and employees, including volunteers, from and against any and all claims, demands, expense and liability arising out of injury or death to any person or the damage, loss or destruction of any property which may occur or in any way grow out of any or omission of the other party, its agents, servants, and employees, or any and all costs, expense and/or attorney fees incurred by the other party as a result of any claims, demands, and/or causes of action except of those claims, demands, and/or causes of action arising out of the negligence of the State of Louisiana, all State Departments, Agencies, Boards, commissions, its agents, representatives, and/or employees. The other party agrees to investigate, handle, respond to, provide defense for and defend any such claims, demands, or suits at its sole expense and agrees to bear all other costs and expenses related thereto, even if it (claims, etc) is groundless, false of fraudulent.

- I. Any and all deductibles in the below described insurance policies shall be assumed by and be for the amount of, and at the sole risk of the other party.
- J. The insurance companies issuing the policy or policies shall have no recourse against the Agency for payment of any premiums or for assessments under any form of policy.
- K. All property losses shall be made payable to and adjusted with the Agency.
- L. Neither the acceptance of the completed work nor payment therefor shall release the Contractor/Subcontractor from his obligations from the insurance requirements or indemnification agreement.
- M. Additional insurance may be required on an individual basis for extra hazardous contracts and specific service agreements. If such additional insurance is required for a specific contract, that requirement will be described in the "Special Conditions" of the contract specifications.
- N. If any of the Property and Casualty insurance requirements (Exhibit A or B) are not complied with at their renewal dates, payments to the Contractor/Subcontractor may be withheld until those requirements have been met, or at the option of the Agency, the Agency, the Agency may pay the Renewal Premium and withhold such payments from any monies due the Contractor/Subcontractor.

EXHIBIT A

INSURANCE REQUIREMENTS FOR CONTRACTORS

Contractor shall procure and maintain for the duration of the contract insurance against claims for injuries to persons or damages to property which may arise from or in connection with the performance of the work hereunder by the Contractor, his agents, representatives, employees or subcontractors. The cost of such insurance shall be included in the Contactor's bid.

A. MINIMUM SCOPE OF INSURANCE

Coverage shall be at least as broad as:

- 1. Insurance Services Office form number GL 0002 (Ed. 1/73) covering Comprehensive General Liability and Insurance Services Office form number GL 0404 covering Broad Form Comprehensive General Liability; or Insurance Services Office Commercial General Liability coverage ("occurrence" form CG 0001). "Claims Made" form is unacceptable. The "occurrence form" shall not have a "sunset clause".
- 2. Insurance Services Office form number CA 0001 (Ed. 1/78) covering Automobile Liability and endorsement CA 0025 or CA 0001 12 90. The policy shall provide coverage for owned, hired, and non-owned coverage. If an automobile is to be utilized in the execution of this contract, and the vendor/contractor does not own a vehicle, then proof of hired and non-owned coverage is sufficient.
- 3. Workers' Compensation insurance as required by the Labor Code of the State of Louisiana, including Employers Liability Insurance.
- 4. Builders Risk Coverage.

B. MINIMUM LIMITS OF INSURANCE

Contractor shall maintain limits no less than:

- 1. Commercial General Liability: \$1,000,000 combined single limit per occurrence for bodily injury, personal injury, and property damage.
- 2. Automobile Liability: \$1,000,000 combined single limit per accident, for bodily injury and property damage.
- 3. Workers' Compensation and Employers Liability: Workers' Compensation limits as required by the Labor code of the State of Louisiana and Employers Liability coverage. Exception: Employers liability limit is to be \$1,000,000 when work is to be over water and involves maritime exposure.
- 4. Builder's Risk Coverage: Does Not apply to this contract

A General Contractor shall purchase and maintain property insurance upon the entire work included in the contract for an amount equal to the greater of the full-completed value or the amount of the construction contract including any amendments thereto. The general contractor's policy shall provide "ALL RISK" Builder's Risk insurance (extended to include the perils of wind, collapse, vandalism/malicious mischief, and theft, including theft of materials whether or not attached to any structure.) The "All Risk" Builder's Risk Insurance must also cover architects' and engineers' fees that may be necessary to provide plans and specifications and supervision of work for the repair and/or replacement of property damage caused by a covered peril not to exceed 10% of the cost of those repair and/or replacements.

Flood coverage shall be provided by the Contractor on the first floor and below for projects North of the Interstate Corridor beginning at the Texas - Louisiana border at Interstate 10 East to the Baton Rouge junction of Interstate 12, East to Slidell junction with Interstate 10 to the Louisiana - Mississippi border. Flood sub-limit shall equal an amount no lower than ten percent (10%) of the total contract cost per occurrence. Coverage for roofing projects shall not require flood coverage.

On projects South of this corridor, flood coverage shall be provided by the State of Louisiana, as the owner, through the National Flood Insurance Program (NFIP). The Contractor will be liable for the \$5,000 deductible on the NFIP policy from the Notice to Proceed date through the Notice of Final Acceptance date of the project.

A specialty contractor shall purchase and maintain property insurance upon the system to be installed for an amount equal to the greater of the full-completed value or the amount of the contract including any amendments thereto. The specialty contractor may provide an installation floater with the same coverage as the "ALL RISK" Builder's Risk insurance policy.

The policy must include the interest of the Owner, Contractor and Subcontractors as their interest may appear. The Contractor has the right to purchase coverage or self-insure any exposures not required by the bid specifications, but shall be held liable for all losses, deductibles, self-insurance for coverages not required.

Policies insuring projects involving additions, alterations or repairs to existing buildings or structures must include an endorsement providing the following:

In the event of a disagreement regarding a loss covered by this policy which may also be covered by the State of Louisiana policy of self-insurance or any commercial property insurance policy purchased by the State of Louisiana, Office of Risk Management (ORM) covering in excess of the State of Louisiana, policy of self-insurance, this company agrees to follow the following procedure to establish coverage and/or the amount of loss:

Any party to a loss may make written demand for an appraisal of the matter in disagreement. Within 20 days of receipt of written demand, this company and either ORM or its commercial insurance company shall each select a competent and impartial appraiser and notify the other of the appraiser selected. The two appraisers will select a competent and impartial umpire. The appraisers will then identify the policy or policies under which the loss is insured and, if necessary, state separately the value of the property and the amount of the loss that must be borne by each policy. If the two appraisers fail to agree, they shall submit their differences to the umpire. A written decision by any two shall determine the policy or policies and the amount of the loss. Each insurance company (or ORM) agree that the decision of the appraisers and the umpire if involved, will be binding and final and that neither party will resort to litigation. Each of the two parties shall pay its chosen appraiser and bear the cost of the umpire equally.

C. DEDUCTIBLES AND SELF-INSURED RETENTIONS

Any deductibles or self-insured retentions must be declared to and approved by the Agency. At the option of the Agency, either: the insurer shall reduce or eliminate such deductibles or self-insured retentions as respects the Agency, its officers, employees and volunteers; or the contractor shall procure a bond guaranteeing payment of losses and related investigations, claim administration and defense expenses.

D. OTHER INSURANCE PROVISIONS

The policies are to contain, or be endorsed to contain, the following provisions:

- 1. General Liability and Automobile Liability Coverages
 - a. The Agency, its officers, officials, employees, Boards and Commissions and volunteers are to be added as "additional insureds" as respects liability arising out of activities performed by or on behalf of the Contractor; products and completed operations of the contractor, premises owned, occupied or used by the Contractor. The coverage shall contain no special limitations on the scope of protection afforded to the Agency, its officers, officials, employees or volunteers. It is understood that the business auto policy under "Who is an Insured" automatically provides liability coverage in favor of of Louisiana.

the State

- b. Any failure to comply with reporting provisions of the policy shall not affect coverage to the Agency, its officers, officials, employees, Boards and Commissions or volunteers.
- c. The Contractor's insurance shall apply separately to each insured against whom claim is made or suite is brought, except with respect to the limits of the insurer's liability.
- 2. Worker's Compensation and Employers Liability Coverage
 The insurer shall agree to waive all rights of subrogation against the Agency, its officers,
 officials, employees and volunteers for losses arising from work performed by the Contractor for
 the Agency.
- 3. All Coverages

Each insurance policy required by this clause shall be endorsed to state that coverage shall not be suspended, voided, canceled by either party, or reduced in coverage or in limits except after thirty (30) days prior written notice by certified mail, return receipt requested, has been given to the Agency.

E. ACCEPTABILITY OF INSURERS

Insurance is to be placed with insurers with a Best's rating of not less than A:VI. This rating requirement will be waived for workers' compensation coverage only.

F. VERIFICATION OF COVERAGE

Contractor shall furnish the Agency with certificates of insurance affecting coverage required by this clause. The certificates for each insurance policy are to be signed by a person authorized by that insurer to bind coverage on its behalf. The certificates are to be received and approved by the Agency before work commences. The Agency reserves the right to require complete, certified copies of all required insurance policies, at any time.

EXHIBIT D

INDEMNIFICATION AGREEMENT

The	agrees contractor/Lessee/Supplier	s to protect,	defend, indem	nify, save,	
Contractor/Subc	contractor/Lessee/Supplier				
agents, servants and eand liability arising o	e State of Louisiana, all State Depa employees, including volunteers, f ut of injury or death to any person way grown out of any act of comm	rom and aga or the dama	inst any and all o	claims, demands, exp	oense
Contractor/Subcontra	actor/Lessee/Supplier ,				
its agents, servants, a	nd employees, or any and all costsas a result of actor/Lessee/Supplier	s, expense ar	nd/or attorney fee	es incurred by	
Contractor/Subcontra	actor/Lessee/Supplier				
demands, and/or caus negligence of the Sta representatives, and/o	ses of action except those claims, of te of Louisiana, all State Department or employees.	ents, Agenci	d/or causes of ac es, Boards, Com handle, respond t	missions, its agents,	e
Contractor/Subcontra	actor/Lessee/Supplier		•		
provide defense for a and expenses related	and defend any such claims, demar thereto, even if it (claims, etc.) is Accepted by	nd, or suit at groundless,	false or fraudule	nt.	ll other cost
		Company Name			
	_		Signature		
	_		Title		
	Date Accepted				-
	Is Certificate of Insurance A	Attached? _	Yes	No	
Contract Number	fo		LLS STATE UN' e Agency Numbe	VIERSITY (#4820) er and Name	
PURPOSE OF CON	TRACT:				